48:5 Research: silver jewelry

86/97
C


Jewelry Class - Studio I
Sept - Jan. 1966
'65

1.




pin. Had difficulty soldering small wires to edge. Middle one soldered on back.

2.



pin - sawed out pin for pearl + glued with epoxy. (made 1 for K.)


3. Earrings



(1 for K.)




screw-type earrings for K.



pendant
beach pebble jade
bezel.


4.




Pendant

Hammered square wire + pulled. Soldered pin for pearl on back.

5.




Hammered square wire + curved into ring. Drilled hole. Soldered in pin on bottom. Left top free for adjustment.




(made 1 for Kay)


1. Solder bezel wire in circle shaped to stone. ○ solder
2. " circle to flat piece. Put solder in center of circle



May 10. 1966




26 ga. silver




- sweat-soldered silver disc. (with easy solder) to bar.

- attached findings - (wrapped center piece with wet asbestos) with very-easy solder.

- joint angled wrong - but pin can be bent slightly



5/17



- loop for pendant.

3 small wires with blue beads.

Ends of wires hammered flat.

3 wires soldered at point with easy

5/24




ear rings

Square wire soldered at 2 corners.

Link also soldered on


Bead on wire - hammered end.




8/66


Hair piece

Chain: - cut, curved hammered links of square wire




toggle





(1)   (where soldered)
when attach pearl?


(2) 

(3) ring from bar


(4) 

(5)  necklace


pin







pin

earrings

